SUGGESTED ANSWERS FOR – JULY 2021 ATTEMPT OF CA FOUNDATION SUBJECT: BUSINESS MATHEMATICS, LOGICAL REASONING & STATISTICS

PART 1: BUSINESS MATHEMATICS

1. THEORY OF INDICES &SURDS

1) If xy+yz+zx = -1, then the value of $\left(\frac{x+y}{1+xy} + \frac{z+y}{1+zy} + \frac{x+z}{1+zx}\right)$ is

a) xyzb) $\frac{-1}{yz}$ c) $\frac{1}{xyz}$ d) $\frac{1}{x+y+z}$

2. LOGARITHMS

2) If $\log_4 x + \log_{16} x + \log_{64} x + \log_{256} x = 25/6$ then the value of x is a) 64 b) 4 c) 16 d) 2

3. SETS

- 3) Let U be the universal set, A and B are the subsets of U. If n(U) = 650, n(A) = 310, $n(A \cap B) = 95$ and n(B) = 190, then $n(\overline{A} \cap \overline{B})$ is equal to $(\overline{A}$ and \overline{B} are the complement of A and B, respectively)
 - a) 400 b) 200
- c) 300
- d) 245

4. RELATIONS AND FUNCTIONS

- 4) The range of the function f defined by $f(x) = \sqrt{16 x^2}$ is
- a) [-4,0] b) [-4,4] c) [0,4] d) (-4,4) 5) Let A = R - {3} and B = R - {1}. Let f and defined by $f(x) = \frac{x-2}{x-3}$. What is the value
 - $f^{-1}\left(\frac{1}{2}\right)$?
 - a) 2/3

a) 71

- b) 3/4
- c) 1 d) -1
- 6) If $f(x) = x^2 1$ and g(x) = |2x + 3|, then $f_0g(3) g_0f(-3) =$

b) 61 c) 41 **5. SEQUENCE & SERIES**

- 7) The number of terms of the series: 5 + 7 + 9 + must be taken so that the sum may be 480
 - a) 20
- b) 10
- c) 15
- d) 25

d) 51

- 8) If the sum of 'n' terms of an AP (Arithmetic Progression) is 2n², the fifth term is _____ a) 20 b) 50 c) 18 d) 25
- 9) The sum of three numbers in a geometric progression is 28. When 7,2 and 1 are subtracted from the first, second and the third numbers respectively, then the resulting numbers are in arithmetic progression. What is the sum of squares of the original three numbers?
 - a) 510
- b) 456
- c) 400
- d) 336

6. EQUATIONS

- 10) If α and β are the roots of the equation $2x^2 + 5x + k = 0$, and $4(\alpha^2 + \beta^2 + \alpha\beta) = 23$, then which of the following is true?
 - a) $k^2 + 3k 2 = 0$
- b) $k^2 2k + 3 = 0$ c)
- $k^2 2k 3 = 0$ d) $k^2 3k + 2 = 0$ The cost of 2 grappes and 3 apples is $\frac{\pi}{2}$ 29
- 11) The cost of 2 oranges and 3 apples is ₹ 28. If the cost of an apple is doubled then the cost of 3 oranges and 5 apples is ₹ 75. The original cost of 7 oranges and 4 apples (in ₹) is
 - a) 59
- b) 47
- c) 71
- d) 63
- 12) The value of 'K' is _____, if 2 is a root of the following cubic equation: $x^3 (k+1)x + k = 0$
 - a) 2
- b) 6
- c) 1
- d) 4
- 13) The sum of square of any real positive cantities and its reciprocal is never less
 - b) 2
- c) 3
- d) 4

7. MATRICES

- **14)** If $A = \begin{bmatrix} 1 & 0 \\ -1 & 1 \end{bmatrix}$ then the value of A^5 is
 - a) $\begin{bmatrix} 1 & 0 \\ -1 & 5 \end{bmatrix}$
- b) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
- c) $\begin{bmatrix} 1 & 0 \\ -5 & 1 \end{bmatrix}$
- d) $\begin{bmatrix} 1 & -5 \\ 0 & 1 \end{bmatrix}$

8. LINEAR INEQUATIONS

- 15) If $y = 4+9 \sin 5x$ then which holds good?
 - a) $-5 \le y \le 13$
- b) $-4 \le y \le 8$
- c) 0 < y < 1
- d) -5 < y < 5

9. PERMUTATIONS & COMBINATIONS

- **16)** If ${}^{n}p_{6} = 20 {}^{n}p_{4}$ then the value of n is given by a) n = 5 b) n = 3 c) n = 9 d) n = 8
- 17) How many numbers of seven digit numbers which can be formed from the digits 3,4,5,6,7,8,9 no digits being repeated are not divisible by 5?
 - a) 4320
- b) 4690
- c) 3900
- d) 3890
- 18) A person can go from place 'A' to 'B' by 11 different modes of transport but is allowed to return back to "A" by any mode other than the one earlier. The number of different ways, the entire journey can be complete is __ a) 110 __ b) 10¹⁰ __ c) 9⁵ __ d) 10⁹

MASTER MINDS COMMERCE INSTITUTE PVT. LTD.

WWW.MASTERMINDSINDIA.COM | 98851 25025 / 26

19) The number of ways 5 boys and 5 girls can be seated at a round table, so no two boys are adjacent is

a) 2550

b) 2880

c) 625

d) 2476

10. TIME VALUE OF MONEY

20) A sum of ₹ 7500 amounts to ₹ 9075 at 10% p.a., interest being compounded yearly in a certain time. The simple interest (in ₹) on the same sum for the same time and the same rate is

a) 1000

b) 1250

c) 1800

d) 1500

21) A loan of ₹ 1.02,000 is to be paid back in two equal annual instalments. If the rate of interest is 4% p.a., compounded annually, then the total interest charged (in ₹) under this instalment plan is

a) 6160

b) 8120

c) 5980

d) 7560

22) If the desired future value after 5 years with 18% interest rate is ₹ 1,50,000, then the present value (in ₹) is (Given that (1.18)⁵ = 2.2877)

a) 63,712 b) 65,568 c) 53,712 d) 41,712

23) What is the compound interest (in ₹) on a sum of ₹ 12,600 for 1½ years at 20% per annum if the interest is compounded half yearly? (Nearest to a Rupee)

a) 4271

b) 4171

c) 4711

d) 4117

24) A sum of ₹ x amounts to ₹ 27,900 in 3 years and to ₹ 41,850 in 6 years at a certain rate percent per annum, when the interest is compounded yearly. The value of (%) (a) 16080 b) 18600 c) 18060 d) 16800

25) If the nominal rate of growth is 17% and inflation is 9% for the five years. Let P be the Gross Domestic Product (GDP) amount at the present year then the projected real GDP after 6 years is

a) 1.587 P

b) 1.921 P

c) 1.403 P

d) 2.51 P

26) If a person bought a house by paying ₹ 45.00.000 down payment and ₹ 80.000 at the end of each year till the perpetuity, assuming the rate of interest as 16%, the present value of house (in ₹) is given as

a) 47,00,000

b) 45,00,000

c) 57,80,000

d) 50,00,000

27) Let the operating profit of a manufacturer for five years is given as:

Year	1	2	3	4	5	6
Operating profit (in lakh ₹)	90	100	106.4	107.14	120.24	157.35

Then the operating profit of Compound Annual Growth Rate (CAGR) for year 6 with respect to year 2 is given at

a) 9%

b) 12%

c) 11%

d) 13%

28) If discount rate is 14% per annum, then how much a company has to pay to receive ₹ 280 growing at 9% annually forever.

a) ₹ 5,600

b) ₹ 2,800

c) ₹ 1,400

d) ₹ 4,200

29) The effective rate of return for 24% per annum convertible monthly is given as

a) 24%

b) 26.82%

c) 18%

d) 24.24%

30) If the cost of capital be 12% per annum, then the net present value (in nearest ₹) from the given cash flow is given as

Year	0	1	2	3
Operating profit (in thousands ₹)	(100)	60	40	50

a) 349048 b) 34185 c) 51048

d) 24187

MOTE: Correct Ans is Rs. 21,048/- by taking the nearest value option D is

33 A certain sum amounts to ₹ 15748 in 3 years at simple interest at r% p.a. The same amounts to ₹ 10 The same interest in the same time. What is the value of r?

a) 10%

b) 8%

c) 12%

d) 6%

32) What is the difference (in ₹) between the simple interest and the compound interest on a sum of \ge 8,000 for $2\frac{2}{5}$ years at the rate of 10% p.a., when the interest is compounded vearly?

a) 135.75 b) 129.50 c) 151.75

33) The future value of annuity of ₹ 2.000 for 5 years at 5% compounded annually is given (in nearest ₹) as

a) 51051 b) 21021 c) 15624

d) 61254

NOTE: Correct Ans is Rs. 11,051/- by taking the nearest value option C is preferable

11. DERIVATIVES

34) In a market there are 30 shops to allocate to people. If they allocate x shops then their monthly expenses, in rupees, is given by, $P(x) = -8x^2 + 400x - 1000,$ then the number of shops should they allocate to minimize the expenses.

a) 0

b) 30

c) 25

d) 10

PIONEER FOR MEC / CEC TO CA/ CMA FINAL

M.M.C.I.PYT.LTD.

				PIO
35)	$x^3/3$, (for the) ≤ x ≤ 100 items is gi	and the deven by, p(x	$+500x - x^2 +$ mand function) = 1500 - x, 18 items are
	a) 751	b) 571	c) 676	d) 875
36)		= 3e ^{x4} then	$f'(x) - 4x^3f($	$f(x) + \left(\frac{1}{3}\right)f(0) - \frac{1}{3}$

f'(0) is equal to b) e^{x²} a) 0 c) 1 d) -1

12. INTEGRATIONS

37) The value of $\int_{-2}^{2} f(x) dx$, where f(x) = 1+x, $x \le 1$ 0; $f(x) = 1-2x, x \ge 0$ is a) 20 b) -2 c) -4 d) 0

13. RATIOS AND PROPORTIONS

- 38) The salaries of A,B and C are of ratio 2:3:5. If the increments of 15%, 10% and 20% are done to their respective salaries, then find the new ratio of the salaries.
 - a) 23:33:60
- b) 33:23:60
- c) 23:60:33
- d) 33:60:23
- 39) A vessel contained a solution of acid and water in which water was 64%. Four litres of the solution were taken out of the vessel and the same quantity of water was added. If the resulting solution contains 30% acid, the quantity(in litres) of the solution, in beginning in the vessel, was
 - a) 12
- b) 36
- c) 24
- 40) If A : B = 5 : 3, B : C = 6 : 7 and 9, then the value of A : B : C : D a) 20:14:12:9 b) 20:9:12:14
- c) 20:9:14:12
- d) 20:12:14:9

PART 2: LOGICAL REASONING

1. SERIES

- 41) Choose the missing term in the series 1,1,8,4,27,__ ____64,16
 - a) 27
- b) 11
- c) 9
- d) 125
- **42)** The wrong term in the series 225,196,169,144,121,100,77,64, is a) 121 b) 77 d) 169 c) 100

3. CODING AND DECODING

- 43) If DELHI is coded as EFMIJ then JAIPUR is coded as
 - a) JQVSBK
- b) QVSKBJ
- c) BJQVSK
- d) KBJQVS
- 44) If FRAME is coded as 0618011305 then ARISE is coded as
 - a) 0118091905
- b) 0119091805

- c) 0118190905
- d) 0118091805
- 45) If CLOCK is coded as 34235 and TIME as 8679, then MOTEL is coded as
 - a) 27894
- b) 72964
- c) 72894
- d) 77684

4. DIRECTIONS SENSE TEST

- 46) A and B start moving towards each other from two places 200 m apart. After walking 60 m, B turns left and goes 20 m, then he turns right and goes 40 m. He then turns right again and comes back to the road on which he had started walking. If A and B walk with the same speed, what is the distance between them now?
 - a) 80 m
- b) 70 m
- c) 40 m
- d) 60 m
- 47) There are four towns P,Q,R and T. Q is to the south-west of P, R is to the east of Q and southeast of P, and T is to the north of R in line with QP. In which direction of P is T located?
 - a) North
- b) North-East
- c) **E**
- d) South-East
- 48) We friends A,B,C,D and E are staying in the ്യെട്ടുആഴിocality. B's house is to the east of A's house is to the west of D's house. D's house is in which direction with record house?
 - a) North-East
- b) South-East
- c) North-West
- d) South-West
- 49) One morning, after sunrise, Vikram and Shailesh were standing in a lawn with their backs towards each other. Vikram's shadow fell exactly towards left hand side. Which direction was Shailesh facing?
 - a) South-West
- b) West
- c) South
- d) East-South

5. BLOOD RELATIONS

- 50) Pointing towards "A", "B", said: "Your mother is the younger sister of my mother". "A" is related to "B" as
 - a) Uncle
- b) Cousin
- c) Nephew
- d) Father
- 51) Shyam's mother said to Shyam "my mother has a son whose son is Ram". Shyam is related to Ram as
 - a) Uncle
- b) Cousin
- c) Nephew
- d) Grandfather
- **52)** Amit said "This girl is the wife of the grandson of my mother". How Amit related to the girl?
 - a) Father-in-law
- b) Grandson
- c) Father
- d) Son



Click on below image or Scan to Join telegram





@Mission_CA_Foundation

MASTER MINDS COMMERCE INSTITUTE PVT. LTD.

WWW.MASTERMINDSINDIA.COM | 98851 25025 / 26

- 53) A is the son of C; C and Q are sisters; Z is the mother of Q and P is the son of Z. Which of the following statements is true?
 - a) A and P are cousins
 - b) C and P are sisters
 - c) P is the maternal uncle of A
 - d) A is the maternal uncle of P

6. SEATING ARRANGEMENT

- 54) A,B,C,D and E are sitting on a bench. A is sitting next to B, C is sitting next to D, D is not sitting with E who is on the left end of the bench. C is on the second position from the right. A is to the right of B and E. A and C are sitting together. In which position A is sitting between?
 - a) C and D
- b) D and E
- c) B and C
- d) B and D
- 55) Five girls are sitting on a bench to be photographed. Seema is to the left of Rani and to the right of Bindu. Mary is to the right of Rani. Reeta is between Rani and Mary. Who is sitting immediate right to Reeta?
 - a) Seema
- b) Rani c) Bindu
- 56) Six friends P.Q.R.S.T and U are sitting around the hexagonal table each at one corner and are facing the centre of the hexagonal. P is second to the left of U. Q is, neighbor of R and S. T is second to the left of S. Which one is sitting opposite to S?
 - a) R
- b) P
- c) Q
- 57) A,B,C,D,E,F and G are sitting in a row fact
 - 1. F is to the immediate right of E.
 - 2. E is 4th to the right of G.
 - 3. C is the neighbor of B and D.
 - 4. Person who is third to the left of D is at one of ends.

Who are to the right of D?

- a) E and F only
- b) G.B and C
- c) E,F and A
- d) G and B only

7. SYLLOGISM

58) Statement: All fruits are lions. All lions are foxes. Some foxes are beggars.

Conclusion -

- I. All fruits are foxes.
- II. Some fruits are beggars
- a) Only I follows
- b) Only II follows
- c) None follows
- d) Both I and II follows
- 59) Statement: All flowers are toys. Some toys are idiots. Some angles are idiots.

Conclusion -

I. Some angles are toys.

- II. Some idiots are flowers.
- III. Some flowers are angles
- a) Only I follows
- b) Only II follows
- c) Only III follows
- d) None follows
- 60) Statement: Some buttons are rivers. Some rivers are shirts. All shirts are people. Conclusion -
 - I. Some people are rivers.
 - II. Some people are buttons.
 - III. Some shirts are buttons.
 - a) Only I follows
- b) Only II follows
- c) Only III follows
- d) Both II and III follows

PART 3: STATISTICS

2. MEASURES OF CENTRAL TENDENCY

61) Expenditures of a Company (in Million Rupees) per item in various Years

ħ	fear		Item of	Expendi	tures	
		Salary	Fuelland Transport	Bonus.	Interest on Loans	Taxes
1	3 98	288	98	3.00	23.4	83
7	999	342	112	2.52	32.5	108
K	900	324	101	3.84	41.6	74
P 2	2001	336	133	3.68	36.4	88
2	2002	420	142	3.96	49.4	98

What is the average amount of interest per year which the company had to pay during this period?

- a) 33.66
- b) 36.66
- c) 31.66
- d) 39.66
- **62)** There are n numbers. When 50 is subtracted from each of these number the sum of the numbers so obtained is -10. When 46 is subtracted from each of the original n numbers, then the sum of numbers, so obtained is 70. What is the mean of the original n numbers?
 - a) 56.8
- b) 25.7
- c) 49.5
- d) 53.8
- 63) The mean of 'n' observation is 'X'. If K is added to each observation, then the new mean is _
 - a) X
- b) XK
- c) X K
- d) X + K
- **64)** If y = 3 + 1.9 x, and mode of x is 15, then the mode of v is:
 - b) 27.8 a) 15.9
- c) 35.7
- d) 31.5

3. MEASURES OF DISPERSION

- 65) The mean deviation of the 3,10,6,11,14,17,9,8,12 about the mean is (correct to one decimal place)
 - a) 8.7
- b) 4.2
- c) 3.1
- d) 9.8

PIONEER FOR MEC / CEC TO CA/ CMA FINAL

M.M.C.I.PVT.LTD.

- 66) The standard deviation of 1 to 9 natural numbers is
 - a) 6.65
- b) 2.58
- c) 6.75
- d) 5.62
- 67) The probable value of mean deviation when $Q_3 = 40$ and $Q_1 = 15$ is
 - a) 15
- b) 18.75
- c) 17.50
- d) 0
- 68) If the numbers are 5,1,8,7,2, then the coefficient of variation is
 - a) 56.13%
- b) 59.13%
- c) 48.13%
- d) 44.13%
- 69) If every observation is increased by 7 then
 - a) Standard Deviation increases by 7
 - b) Mean deviation increases by 7
 - c) Not affected at all
 - d) Quartile Deviation increases by 7
- 70) If a school has 14 teachers, their heights (in cm) are:

172,173,164,178,168,169,173,172,173,164,1 78,168,169,173, then average deviation of this data is

- a) 2.43 approx.
- b) 3.93 approx.
- c) 3.43 approx.
- d) 2.92 approx.
- 71) If the relationship between x and y is given by 2x + 3y = 10 and the range of y is 10, then what is the range of x?
 - a) 10
- b) 18
- c) 8
- d) 15

4. CORRELATION ANALYSIS

- 72) If the sum of the product of the deviation of and Y from their means is zero, the correlation coefficient between X and
 - a) Zero
- b) Positive
- c) Negative
- d) 10

5. REGRESSION ANALYSIS

- 73) If the slope of the regression line is calculated to be 5.5 and the intercept 15 then the value of Y when X is 6 is
 - a) 88
- b) 48
- d) 78
- **74)** If Y = 9X and X = 0.01Y, then r is equal to:
 - a) -0.1
- b) 0.1
- c) 0.3
- d) -0.3
- 75) The straight line graph of the linear equation Y = a + b X, slope is horizontal if:
 - a) b = 1
- b) $b \neq 0$
- c) b = 0
- d) $a = b \neq 0$
- **76)** If $b_{yx} = -1.6$ and $b_{xy} = -0.4$, then r_{xy} will be a) 0.4 b) -0.8 c) 0.64 d) 0.8

6. INDEX NUMBERS

77) The consumer price Index goes up from 120 to 180 when salary goes up from 240 to 540, what is the increase in real terms?

- a) 80
- b) 150
- c) 120
- d) 240
- 78) The weighted aggregative price numbers for 2001 with 2000 as the base year using Paashe's Index Number is

	Price (in 2) Quantities									
- Committeelly	2000	2001	2000	2001						
Α	10	12	20	22						
В	8	8	16	18						
С	5	6	10	11						
D	4	4	7	8						

- a) 112.32 b) 112.38 c) 112.26 d) 112.20
- 79) The weighted aggregative price index numbers for 2001 with 2000 as the base year using Marshal - Edgeworth Index Number is

	Price	(in ₹)	@uaniiies		
Water (11)	2000	2001	2000	2001	
Α	10	12	20	22	
В	8	8	16	18	
С	5	6	10	11	
ØP)	4	4	7	8	

iven _	(1 2.26 b				
hen .	The weighte	d agg	regative	price	index
	numbers for 2 Jusing Fisher's	oot with	i ∠000 a:	s the bas	se year
	dsing rishers	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	W. W.		er en proprocessor
	Commodity	Price		Quan	
	•	2000	2001	2000	2001
or <i>X</i>	Α	10	12	20	22
the	В	8	8	16	18
,	С	5	6	10	11
		1	1	7	8

a) 112.32 b) 112.20 c) 112.38 d) 112.26

7. TIME SERIES

- 81) If in an additive model O refers to original data as 875. T refers to trend 700. S refers to seasonal variations -200. C refers to cyclical variations 75 then the value of I which refers to irregular variations is
 - a) -100
 - b) -170
- c) -140
- d) -150

8. STATISTICAL DESCRIPTION OF DATA

- 82) There were 200 employees in an office in 150 were married. Total male employees were 160 out of which 120 were married. What was the number of female unmarried employees?
 - a) 30
- b) 40
- c) 50
- d) 10
- 83) Data collected on religion from the census reports are
 - a) Primary data
- b) Unclassified data
- c) Sample data
- d) Secondary data

MASTER MINDS COMMERCE INSTITUTE PVT. LTD.

WWW.MASTERMINDSINDIA.COM | 98851 25025 / 26

- 84) Which of the following diagram is the most appropriate to represents various heads in total cost?
 - a) Pie chart
- b) Bar graph
- c) Multiple line chart
- d) Scatter plot
- 85) In a graphical representation of data, the largest numerical value is 4 the smallest numerical value is 25. If classes desired are 4 then which class interval is
 - a) 45
- b) 5
- c) 20
- d) 7.5
- 86) In graphical representation of data. ideographs are also called as
 - a) Picto-graphs
- b) Asymmetry graphs
- c) Symmetry graphs
- d) Pictograms
- means separating items according to similar characteristics grouping them into various classes.
 - a) Classification
- b) Editing
- c) Separation
- d) Tabulation
- 88) Frequency density of a class interval is the ratio of
 - a) Class frequency to the total frequency
 - b) Class length to class frequency
 - c) Class frequency to the cumulative
- 89) A graph that uses vertical bars to represent data is called a

 a) Line graph
 c) Vertical
- c) Vertical graphs
- d) Bar graph

9. PROBABILITY

- 90) A biased coin is such that the probability of getting a head is thrice the probability of getting a tail. If the coin is tossed 4 times, what is the probability of getting a head all the times?
 - a) 2/5
- b) 81/128 c) 81/256
- d) 81/64
- 91) If there are 16 phones, 10 of them are Android and 6 of them are of Apple, then the probability of 4 randomly selected phones to include 2 Android and 2 Apple phone is
 - a) 0.47
- b) 0.51
- c) 0.37
- d) 0.27
- 92) If there are 48 marbles marked with numbers 1 to 48, then the probability of selecting a marble having the number divisible by 4 is a) 1/2 b) 2/3 c) 1/3 d) 1/4
- 93) If in a class, 60% of the student study
 - Mathematics and Science and 90% of the student study Science, then the probability of a student studying Mathematics given that he / she is already studying Science is

- b) 2/3 a) 1/4 c) 1 d) 1/2
- 94) A bag contains 7 Blue and 5 Green balls. One ball is drawn at random. The probability of getting a Blue ball is
 - a) 5/12
- b) 12/35
- c) 7/12
- 95) The probability that a football team loosing a match at Kolkata is 3/5 and winning a match at Bengaluru is 6/7, the probability of the team winning at least one match is
 - a) 3/35
- b) 18/35
 - - c) 32/35

d) 17/35

10.RANDOM VARIABLES

96) The value of K for the probability density function of a variate X is equal to

Х	0	1	2	3	4	5	6
P (X)	64	3K	4K	6K	7K	9K	11K
a) 39		b) 1/4	0	c) 1/4	9	d) 1/4	4 5

11. THEORETICAL DISTRIBUTIONS

- 97) In normal distribution, Mean, Median and Mode are
 - a) Zero
- b) Not Equal
- **&**XŽEqual
- d) Null

- soon variate such that P(x = 1) = 0.7, P(x = 2) = 0.3, then P(x = 0) = 0

- 100) For a certain type of mobiles, the length of time between charges of the battery is normally distributed with a mean of 50 hours and a standard deviation of 15 hours. A person owns one of these mobiles and wants to know the probability that the length of time will be between 50 and 70 hours is (Given $\phi(1.33) = 0.9082$, $\phi(0) =$ 0.5)
 - a) -0.4082
- b) 0.5
- c) 0.4082
- d) -0.5

Copyrights Reserved To MASTER MINDS COMMERCE INSTITUTE PYT.LTD.

PIONEER FOR MEC / CEC TO CA/ CMA FINAL

M.M.C.I.PVT.LTD.

KEY

BUSINESS MATHEMATICS

1.	С	2.	O	3,	D	4.	C	5,	C	G.	В	7.	Α
6:	С	9.	D	10.	D	11.	Α	12.	В	13.	В	14.	С
16.	Α	16.	C	17.	Α	16)	Α	19.	В	20.	D	21.	Α
22.	В	23.	В	24.	В	25.	Α	26.	D	27.	В	23,	Α
29.	В	30.	D	3/1,	В	(12)	D	38.	С	Ç4,	С	35.	С
36.	С	37.	В	318,	Α	39.	С	40.	D				

LOGICAL REASONING

-41.	С	42.	В	43,	D	44.	Α	45.	С	46,	С	27/	В
290	В	49.	O	50.	В	51.	В	52.	Α	53.	С	52	С
(5,5)	D	58	В	57.	С	53	Α	5 9.	D	60.	Α		

BUSINESS STATISTICS.

61. B	62 C	6 3. D	64. 5 ¹ 8	65. C	66)B	67. A
68. B	69. C		71.	72, A	79. B	74. C
75, C	7/6 , B	77. C	7.8. D	79. A	30. D	34 A
34 D	18. D	84. A	85. B	86. D	87. A	EE D
89 . D	90. C	91. MC	92 . D	В	94. C	95. C
96, C	97, C	98, B	99. C	100, C		


THE END

COPYRIGHTS RESERVED TO MASTERMINDS COMMERCE INSTITUTE PVT. LTD., GUNTUR. UNAUTHORISED COPYING OF ANY PORTION OF THIS MATERIAL BY USING PHOTOCOPYING OR ANY OTHER MEANS OR UNAUTHORISED USAGE OF THIS MATERIAL IS A PUNISHABLE OFFENSE (MAY ATTRACT IMPRISONMENT OR PENALTY OR BOTH)

Get Best Notes - Click me

Strategy & Important Topics

Click here to get it







BE PERFECT

SUBSCRIBE FOR SUBJECT RELATED WIDEOS