

FORMULA MARATHON MATHS

1. New Quantity = $\frac{b}{a} \times \text{Original Quantity}$ (Ratio a:b)
 Factor multiplying Ratio
 b - antecedent, a - consequent

2. Inverse Ratio $\rightarrow a:b \Rightarrow b:a$ $4:3 \Rightarrow 3:4$

3. Compounded Ratio $\rightarrow \underbrace{a:b}_{\text{Antecedent}} \& \underbrace{c:d}_{\text{Consequent}} = ac:bd$ $4:5, 3:7 = 12:35$

4. Duplicate Ratio = $a:b \Rightarrow a^2:b^2$ ($a:b \times a:b$)

5. Triplicate Ratio = $a:b \Rightarrow a^3:b^3$

6. Sub-duplicate = $a:b \Rightarrow \sqrt{a}:\sqrt{b}$

7. Sub-triplicate = $a:b \Rightarrow \sqrt[3]{a}:\sqrt[3]{b}$

8. Continued Ratio = $a, b, c, d \Rightarrow a:b:c:d$ - Partnership Ratio
 $a:b = 2:5$ $b:c = 4:7$ $a:b:c = ?$
 $a:b:c = 8:20:35$ $\frac{a}{b} = \frac{2}{5} \times \frac{4}{4} = \frac{8}{20}$ $\frac{b}{c} = \frac{4}{7} \times \frac{5}{5} = \frac{20}{35}$

9. Continuous Proportion = $\boxed{\frac{a}{b} = \frac{b}{c} \Rightarrow ac = b^2}$; $b = \sqrt{ac}$ = G.M of a & c

10. Cross Prod. Rule
 Prod. of Means = $\rightarrow \frac{2}{6} = \frac{3}{x} = 2x = 18 \Rightarrow x = 9$
 Prod. of extremes $\frac{2}{6} = \frac{3}{9}$ ✓

11. Invertendo \rightarrow If $a:b = c:d$ then $b:a = d:c$

$1:2 = 4:8$ then $2:1 = 8:4$

12. Alternendo $\rightarrow a:b = c:d$ then $a:c = b:d$

$5:7 = 10:14$ then $5:10 = 7:14$ ($1:2 = 1:2$)

13. Componendo \rightarrow If $a:b = c:d$; then $a+b:b = c+d:d$

14. Dividendo \rightarrow If $a:b = c:d$; then $a-b:b = c-d:d$

15. 13 & 14 \rightarrow If $a+b = c:d$ then $a+b:a-b = c+d:c-d$
 $a-b:a+b = c-d:c+d$

16. Addendo \rightarrow If $2:3 = 4:6 = 6:9 = 10:15 = k(0.66666)$

$= 2+4+6+10 : 3+6 : 9+15$
 $= 22:33 = 0.6666(k)$

17. Subtrahendo $\rightarrow \frac{2-4-6-10}{3-6-9-15} = \frac{-18}{-27} = 0.6666(k)$

18. $a^0 = 1$

19. $\sqrt[n]{a} = a^{1/n}$

20. $a^m \times a^n = a^{m+n}$

21. $a^m \div a^n = a^{m-n}$

22. $(a^m)^n = a^{mn}$

$(2^3)^4 = 2^{3 \times 4} = 2^{12} = 8^4 = 4096$

23. $(a \times b)^n = a^n \times b^n$

24. Base x $\begin{matrix} 2 & 3 & 4 & 5 \\ \hline & \hline & \hline & \hline \end{matrix}$
 $\downarrow \downarrow$
sq cu

$2 \times 4 = 8 = 2^3$
 $4 \times 8 = 32 = 2^5$

25: Reciprocal / Negative Power

$60000 = 6 \times 10^4$

$10^{-4} \div 6 = 60000 = 5591.7986$

$\frac{1}{3^4} = \frac{1}{81}$

$$37. \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

38. Sum of roots = $\frac{-b}{a}$
 $\alpha + \beta$

39. Prod. of roots = $\frac{c}{a}$
 $\alpha \beta$

40. $x^2 - (\alpha + \beta)x + \alpha\beta = 0$
 Construction of Qd. Eq.

41. $b^2 - 4ac = 0$ Real & Equal

42. $b^2 - 4ac < 0$ Imaginary

43. $b^2 - 4ac > 0$ Real & Unequal

44. $b^2 - 4ac > 0$ Real, Unequal
 & per. sq. & Rational

45. $b^2 - 4ac > 0$ Real, Unequal
 & not per. sq. & Irrational

46. $m + \sqrt{n}$ other will be $m - \sqrt{n}$
 Conjugate pair

47. $ax + b = 0$ Simple equation

$3x - 5 = 13$ $\rightarrow 3x = 18$
 $3x = 5 + 13$ \downarrow
 $x = 6$

48. $a_1x + b_1y + c_1 = 0$ - Simultan
 $a_2x + b_2y + c_2 = 0$

49. $ax^3 + bx^2 + cx + d = 0$

Trial & Error

MATRICES

S0. $A + B = B + A$

S1. $(A + B) + C = A + (B + C)$

S2. $k(A + B) = kA + kB$

S3. $A_{m \times p} \times B_{p \times n} = AB_{m \times n}$

S4. $A = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix}$

$\det A \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix}$

S5. $A = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{bmatrix}$

$a_{11} \begin{bmatrix} a_{22} & a_{23} \\ a_{32} & a_{33} \end{bmatrix} - a_{12} \begin{bmatrix} a_{21} & a_{23} \\ a_{31} & a_{33} \end{bmatrix}$

$+ a_{13} \begin{bmatrix} a_{21} & a_{22} \\ a_{31} & a_{32} \end{bmatrix}$

S6. $(i, j) = (-1)^{i+j} M_{ij}$

S7. $A^{-1} = \frac{1}{\det A} \times \text{adj } A$

Inverse of A; $\det A \neq 0$

Cramer's Rule

58. $2x + 3y - 4z = 10$

$7x + y + 2z = 19$

$-2x - 5y + 3z = 8$

$\Delta, \Delta_x, \Delta_y, \Delta_z$

$$\Delta = \begin{vmatrix} 2 & 3 & -4 \\ 7 & 1 & 2 \\ -2 & -5 & 3 \end{vmatrix}$$

$$\Delta_x = \begin{vmatrix} 10 & 3 & -4 \\ 19 & 1 & 2 \\ 8 & -5 & 3 \end{vmatrix}$$

$$\Delta_y = \begin{vmatrix} 2 & 10 & -4 \\ 7 & 19 & 2 \\ -2 & 8 & 3 \end{vmatrix}$$

$$\Delta_z = \begin{vmatrix} 2 & 3 & 10 \\ 7 & 1 & 19 \\ -2 & -5 & 8 \end{vmatrix}$$

$x = \Delta_x / \Delta$

$y = \Delta_y / \Delta$

$z = \Delta_z / \Delta$

63. Amt. as per CI = ?

$P = 20000 \quad t = 3 \text{ years}$

$r = 8\% \text{ for first 2 yrs}$

$r = 12\% \text{ for last yr.}$

$20000 + 8\% + 8\% + 12\%$

$= 26127.36$

$CI = 6127.36$

Time Value of money

59. $SI = \frac{PRT}{100}$

60. $A = P + SI$

$= P + \frac{PRT}{100}$

$= P \left(1 + \frac{RT}{100} \right)$

61. $A = P(1+i)^n$

$i = \frac{8\%}{\text{nocppy}}$

$n = t \times \text{nocppy}$

62. $P = 1000, i = 10\%, n = 3$

$1000 + 10\% + 10\% + 10\%$

$A = 1331$

$CI = 1331 - 1000 = 331$

64. $E = [(1+i)^n - 1]$



PNB = 8% p.a. Semi Annually

$i = \frac{8}{2} = 4\%$

$= [(1.04)^2 - 1] \times 100$

$= 8.16\%$

65.



$$= 10000 \times [3 + \text{Something}]$$
↳ Fut. Val. Ann. Fac.

69. $PVP = \frac{A_i}{i}$

70. Growing Perpetuity

$$PVGIP = \frac{A_i}{i - g}$$

66. $FVA \text{ Due} = A_i \times FVAF(n, i)$

67. $PVA \text{ Reg} = A_i \times \left[\frac{1 - (1+i)^{-n}}{i} \right]$

$1+i = \dots n \text{ times } \boxed{GT}$

68. $PVA \text{ Due}$

69. 3000, 3000, 3000
10% p.a

$$PVP = \frac{3000}{0.10} = 30000$$

70. 1000, 1050, 1102.5

$$PVGIP = \frac{1000}{0.10 - 0.05} = 20000$$

71. NPV

$$= PV \cdot \text{Inflows} - PV \text{ of Outflows}$$

NPV ≥ 0 , accept the proposal

NPV < 0 , reject

72. Real Rate of Return

$$= \text{Nominal Rate of Return}$$

- Rate of Return.

73. Com. Annual Growth Rate

Permutation & Combination

74. $n! = n(n-1)(n-2)\dots 3 \cdot 2 \cdot 1$

$$7! = 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1 = 5040$$

$$1 = 1, 2 = 2, 3 = 6, 4 = 24, 5 = 120$$

$$6 = 720, 7 = 5040, 8! = 40320,$$

$$9! = 362880, 10! = 3628800$$

75. ${}^n P_r = \frac{n!}{(n-r)!}$

$$n \geq r$$

$${}^{10} P_4 = \frac{10!}{(10-4)!} \text{ or } 10 \times 9 \times 8 \times 7$$

no. of factors = 4

76. ${}^n P_n = n!$

$$(n+1)! - n! = n \cdot n!$$

$$(4+1)! - 4! = 4 \cdot 4!$$

$$\text{LHS } 5! - 4! = 120 - 24 = 96$$

$$\text{RHS} = 4 \cdot 4! = 4 \times 24 = 96$$

Proved

77. Circular Permutation

$$= (n-1)!$$

78. Circular Permutation (TII)

$$\frac{1}{2} (n-1)! \left[\begin{array}{l} \text{No two neighbours} \\ \text{are same} \end{array} \right]$$

[necklaces, garland]

79. Permutation with Restriction
 $n-1 P_r$ 1 excluded80. Particular objⁿ is always inc.

$$r \cdot {}^{n-1} P_{r-1}$$

81. ${}^{n-1} P_r + r \cdot {}^{n-1} P_{r-1} = {}^n P_r$

82. No. of ways when things are never together

1 \Rightarrow Together

83. ${}^n C_r = \frac{n P_r}{r!}$

${}^n C_r = \frac{n!}{r!(n-r)!}$

${}^{10} C_4 = \frac{{}^{10} P_4}{4!}$
 $= \frac{10 \times 9 \times 8 \times 7}{24}$
 $= 210$

84. ${}^n C_0 = 1, {}^n C_n = 1$

85. ${}^{10} C_8 = {}^{10} C_2$

Complimentary Combination

${}^{14} C_{11} = {}^{14} C_3$

${}^n C_r = {}^n C_{n-r}$

${}^{14} C_8 = {}^{14} C_{14-8}$

${}^{14} C_{11} = {}^{14} C_3$

5, 6, 11, 16, ...

$a=6, d=+5$

$6+5 = 11$

$t_8 = a_8 = \dots$

86. Special Combination Formula

${}^n C_r + {}^n C_{r-1} = {}^{n+1} C_r$

${}^{600} C_8 + {}^{600} C_9 = {}^{601} C_9$

87. Combination of one or more

$2^n - 1$

5 - One or more

${}^5 C_0 + {}^5 C_1 + {}^5 C_2 + {}^5 C_3 + {}^5 C_4 + {}^5 C_5 = 32 = 2^5$
 \rightarrow
 $= 2^5 - 1$

88. No. of straight lines = ${}^n C_2$

89. No. of triangles = ${}^n C_3$

90. No. of Collinear = Linear - Collinear

91. No. of Parallelogram = ${}^n C_2 \times {}^m C_2$

92. No. of Diagonals = ${}^n C_2 - n$

AP, GP

93. $d = t_2 - t_1 = t_3 - t_2 = t_n - t_{n-1}$
 Common diff. of AP

94. $t_n = a + (n-1)d$ (Gen. Term of AP)

95. $a \pm d = \dots n$ times
 $t_2 \quad t_3 \quad t_4 \quad t_n$

Shortcut Trick

G.P

96. $S_n = \frac{n}{2} (a + t_n)$

105. $S_n = a \frac{(1-r^n)}{1-r}$
 $r < 1$

97. $S_n = \frac{n}{2} [2a + (n-1)d]$

106. $S_n = a \frac{(r^n - 1)}{r - 1}$
 $r > 1$

98. $a + d = \dots$ upto n terms
 $t_2 \quad t_3$

99. $S_{10} = \frac{10}{2} [2 \times 20 + 9 \times (-4)]$
 $= 5(40 - 36) = 20$

107. $r \times a = \dots =$ G.P
 $t_2 \quad t_3 \quad t_n$

$20 - 4 = \dots = t_n$ G.P + 20

20, 10, 5, 5/2

99. $\frac{n(n+1)}{2}$

$S_5 = \frac{a(r^n - 1)}{r - 1}$
 $= \frac{20(0.5^5 - 1)}{0.5 - 1}$

100. $S = n^2$

$20 \times \frac{0.96875}{0.5}$

101. $S = n(n+1)(2n+1)$

= 38.75

102. $S = [n(n+1)]^2$

103. $r = \frac{t_2}{t_1} = \frac{t_n}{t_{n-1}} = \frac{t_3}{t_2}$

$0.5 \times 20 = \dots =$ G.P + 20
 $t^2 \quad t^3 \quad t^4 \quad t^5$

104. $t_n = ar^{n-1}$

108. $S_\infty = \frac{a}{1-r}$

$r \times a = \dots =$
 $t_2 \quad t_3 \quad t_4 \dots t_n$

2, 6, 18, 54

$3 \times 2 = \dots$ upto 8 times
 $= 4374$

$a = 2, r = 3$

$t_8 = a r^7 = 2 \times 3^7 = 4374$

109. $A = \{2, 5, 7\}$

$\{2\}$ $\{5\}$ $\{7\}$

$\{2, 5\}$ $\{5, 7\}$ $\{2, 7\}$

$\{2, 5, 7\}$ ϕ

(8)

Total Subsets = 2^n

110. Proper Subsets = $2^n - 1$


111. De Morgan's Law

$(A \cup B)' = A' \cap B'$

$(A \cap B)' = A' \cup B'$

112. $n(A \cup B) = n(A) + n(B)$

$- n(A \cap B)$




113. $n(A \cup B \cup C) = n(A) + n(B) + n(C)$

$- n(A \cap B) - n(A \cap C) -$

$n(B \cap C) + n(A \cap B \cap C)$

3 set operations



121. $\frac{d}{dx} (\log x) = \frac{1}{x}$

114. $f \circ g = f \circ g(x) = f[g(x)]$

$f(x) = x^2, g(x) = (2x-1)$

$f \circ g = f(g(x))$

$= (2x-1)^2$

$g \circ f = g(f(x))$

$= 2x^2 - 1$

115. $f(x) = 2x + 1$

$y = 2x + 1 \Rightarrow 2x = y - 1$

$x = \frac{y-1}{2}$

$y = \frac{x-1}{2} = f^{-1}(x)$

Calculus

116. $\frac{d(x^n)}{dx} = n x^{n-1}$

117. $\frac{d e^x}{dx} = e^x$

118. $\frac{d a^x}{dx} = a^x \log_e a$

119. $\frac{d k}{dx} = 0$

120. $\frac{d e^{ax}}{dx} = a e^{ax}$

122. $h(x) = c \cdot f(x) \Rightarrow \frac{d[h(x)]}{dx} = c \cdot \frac{d}{dx}[f(x)]$

123. ~~$h(x) = f(x) \pm g(x) \Rightarrow \frac{d}{dx}$~~

$\frac{d u \cdot v}{dx} = u \frac{dv}{dx} + v \frac{du}{dx}$

124. $\frac{d}{dx} \left(\frac{u}{v} \right) = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$

125. $y = C(x)$

126. $A(x) = \frac{C(x)}{x}$

127. $A'(x) = 0 = A \cdot C$ min or max.

128. $MC = \frac{dC}{dx}$

129. $M'(x) = 0$

130. $MR(x) = \frac{dR}{dx}$

DIFFERENTIATION

$$\frac{d}{dx} x^n = nx^{n-1}$$

$$\frac{d}{dx} I \cdot II = I \frac{d}{dx} II + II \frac{d}{dx} I$$

$$\frac{d}{dx} x = 1$$

Chain Rule

$$\frac{d}{dx} k = 0$$

$$\frac{d}{dx} f(x)^n$$

$$= n(F(x))^{n-1} \frac{d}{dx} F(x)$$

$$\frac{d}{dx} e^x = e^x$$

$$\frac{d}{dx} \sqrt{F(x)} = \frac{1}{2\sqrt{F(x)}} \frac{d}{dx} F(x)$$

$$\frac{d}{dx} \log x = \frac{1}{x}$$

$$\frac{d}{dx} a^{f(x)} = a^{f(x)} \log_e a \frac{d}{dx} f(x)$$

$$\frac{d}{dx} \log_a x = \frac{1}{x \log_e a}$$

$$\frac{d}{dx} a^x = a^x \log_e a$$

$$\frac{d}{dx} e^{f(x)} = e^{f(x)} \times \frac{d}{dx} f(x)$$

$$\frac{d}{dx} \frac{I}{II} = \frac{II \frac{d}{dx} I - I \frac{d}{dx} II}{(II)^2}$$

$$\frac{d}{dx} \log_e f(x) = \frac{1}{f(x)} \frac{d}{dx} f(x)$$

$$\frac{d}{dx} \log_a f(x) = \frac{1}{f(x) \log_e a} \frac{d}{dx} f(x)$$

INTEGRATION

$$\int x^n dx = \frac{x^{n+1}}{n+1} + c$$

$x^{5/2}$

$$\int e^{-3x} \frac{2}{5} x^{5/2} dx$$

$\uparrow = \int x^{3/2} dx$

$$= \frac{1}{e^{3x}} + c$$

$$= -\frac{1}{3} e^{-3x} + c$$

Exception $\int \frac{1}{x} = \log|x| + c$

$\int x^{-1} =$ ————

$$\int I \cdot II dx = I \int II dx - \int \left(\frac{d}{dx} I \int II dx \right) dx$$

$$\int k dx = \int kx + c$$

$$\int 1 dx = x + c$$

$$\int e^x dx = e^x + c$$

$$\int \frac{x e^x}{(x+1)^2} dx$$

a) $\frac{e^x}{x+1} + c$

$$\int f'(x) dx = f(x)$$

★ $\int (ax+b)^n = \frac{1}{a} \frac{(ax+b)^{n+1}}{n+1} + c$

Exception

$$\int \frac{1}{ax+b} dx = \frac{1}{a} \log|ax+b| + c$$

$$\int (ax+b)^{-1} dx = \frac{1}{a} \log|ax+b| + c$$

$$\int a^{cx+d} dx = \frac{1}{c} \frac{a^{cx+d}}{\log a} + c$$

$$\int e^{ax+b} dx = \frac{1}{a} e^{ax+b} + c$$

$$\frac{d}{dx} \frac{e^x}{x+1}$$

$$= (x+1) \frac{d}{dx} e^x - e^x \frac{d}{dx} (x+1)$$

$$= \frac{(x+1)e^x - e^x}{(x+1)^2}$$